



Traditions is available from a select group of Authorized NT Window Dealers who meet the following qualifications:



Trained & Certified Installation Team



Remodeling Market Leader



No Hassle, Attentive Customer Service



Offer a Full **Showroom Experience**







Fully Insured



Manufacturer **Jobsite Inspections**



Community & Charity



Extended Labor Warranty Included

Embrace the Elements.

While reading this brochure you will notice a few symbols like these below throughout the text. We know how overwhelming the product review process can be and seek to make things a little bit easier by identifying key benefits you can expect from purchasing and installing Traditions Window & Door products in your home.



Beauty – This symbol identifies the attributes of Traditions Window and Door products that enhance the look of your home from the curb and from inside your home. We make it easy to find the styles and options that fit your home's design and decor.



Comfort - This symbol identifies key features that maximize your potential for increased comfort and peace of mind. You'll find this symbol highlighting product, service and even installation features - all items which can lead to a positive swing in your level of comfort in your home.



Simple & Green - This symbol identifies the simple benefits of the select features of Traditions Windows and Doors. It is also used to clearly show the Green benefits of the window and door products you're considering installing in your home. We'll highlight simple yet high performing features and options that make a big impact on energy use and the environment.



Value - This symbol identifies the standard features included in the design of Traditions Windows and Doors that typically come at a premium in competing brands. The Value symbol is used to alert you of an outstanding feature included that might otherwise be overlooked. Value features definitely give you the biggest bang for your buck.

Remarkable Performance.



Installation is Kev. Traditions Delivers.

Let's face it, new replacement windows and doors perform to their fullest potential and allow you to reap the full benefits of high performance features when they are installed properly. When placing your order for your new Traditions Windows and

Doors you can rest assured that you are dealing with a company with decades of experience in installing high performance products:

- Operate as professionals at the top of the industry
- Has an established track record of being reliable and customer focused
- Participated and completed quality and installation training given at the factory
- Is licensed, bonded and insured to perform your work
- Has decades of experience taking care of customers with a focus on customer satisfaction
- Has a consistently positive track record installing home products
- Performs each job with complete customer satisfaction as the number one goal

Insulated for a Whole New Level of Comfort

Our sash and frame technology includes components that allow us to offer the very best in thermal performance and energy efficiency. By adding our optional high performing rigid insulation in the window's sash and frame, frost and condensation are virtually eliminated. And because our insulation is rigid we can assure you that there won't be any settling or voids that can occur with other insulating methods.

Built Tight to Perform Right

In order to keep from losing energy through windows, every detail must be addressed in a way that supports

tight construction of the overall window. No matter how many pieces and parts there are, each must be married together to create a perfectly fitted unit in order to ensure a highly efficient product. We believe that a window is only as good as the sum of its parts and with that in mind we created the perfect marriage of frame and sash designs to give homeowners a better option for getting the necessary return on their window replacement investment.





Exceptional Window Systems.

Beat the Heat.

No need to spoil your view with unattractive plastic films. Keep your line of sight by selecting a window with glass that works for you. By blocking the heat from the outside when the sun is higher in the sky, your new Traditions Windows will keep the heat out and your air conditioned air inside – keeping your home cool, and more comfortable.

Cool is Cool.

With so many shifts in the global climate, we all have to tend with the extremes of the changing seasons. Why worry about the cool nights and chilly temperatures? Choose windows that work to keep the heat inside and the cool air outside when you need it.

Enjoy Peace and Quiet Again.

When you choose our insulated frame and triple glaze glass options – not only are you adding extreme thermal protection to your windows, but you also create a barrier between the peaceful and quiet indoors and the street noise from outdoors. When opting to upgrade the insulation package on your Traditions Windows not only will you drastically reduce unwanted noise from the outside but you'll get the added benefit of saving on your energy bills.

Unix™ Glass – Engineered for the Extreme Heat.

Designed to function as a reflective thermos, Unix Glass system keeps the temperature in your home more comfortable and consistent. Say goodbye to out of control temperature swings and hello to the level of comfort you have been waiting for.



Our Unix Glass System is a dual glaze insulated glass unit made up of two panes of glass with 12 layers of high performance reflective shields, and the SustainaView Spacer System with high density Argon gas.



Our Unix Max Glass System is a triple glaze insulated glass unit made up of two panes of glass, and a third pane of sound absorbing glass, the SustainaView Spacer System, and Argon gas between the panes.

It's Called Super for A Reason.

Traditions Windows feature a state of the art spacer system that we consider the cornerstone of our superior glass system. SustainaView™ by Super Spacer® is a dual seal Super Spacer system which results in our glass packages lasting up to five times longer than single seal units.

Here's how it works...

The all-foam formula of Super Spacer® blocks the heat path, so homes stay cool and comfortable inside.





Our dual seal system helps Super Spacer insulating glass units last up to five times longer in durability tests than single-seal units.






Our all-foam formula offsets the effects of temperature changes, barometric pressure, wind load and glazing pressure. The end result is less seal failure and fewer stress cracks.





Traditions' Unix Glass Offers You 12 Layers of Protection

With twelve layers of specially formulated coatings including three layers of silver, our Unix Glass rejects the sun's harsh heat without covering up your view.





Double Hung Windows

Features:





- DH performance rating DP35 with optional DP45 performance package.
- Dual Glaze using Unix double strength glass for maximum SHGC and UV protection standard.
- All frame and sash corners are fusion welded at 45 degrees to eliminate air and water penetration.
- Full aluminum reinforced meeting rails for maximum strength.

Additional Comfort Options:

- Optional insulated frame for maximum insulating value, 7.14 R-value per inch.
- Optional triple glaze.

Choose Your New Window Performance Level			
Double Hung Glass Package	Unix Max	Unix	
U-Factor	0.23	0.29	
Solar Heat Gain Coefficient	0.19	0.21	
Air Infiltration09 cfm/ft2			
The lower the number, the better the insulat	ing performance. Additional options	could impact listed performance ratings.	



- Roller tilt constant force balance system for years of smooth and quiet operation.
- True slope sill to naturally drain rainwater away from the window.
- Two integral sash ventilation night latches allow safer enjoyment of a cool evening breeze.
- Both sashes tilt in for easy cleaning.



- TRU-Latch positive action locks that meet or exceed forced entry resistance requirements and hurricane impact testing.
- Extruded aluminum screen frame for long lasting durability and appearance.
- Our super clear, NatureVue Screen is standard on this window.

Looking for a Matching Picture Window? Here is How Ours Measure Up.			
Picture Window	Unix Max		Unix
U-Factor	0.23		0.28
Solar Heat Gain Coefficient	0.20		0.22
The lower the number, the Additional options could	e better the insulating impact listed perform	performance ance ratings.	2.



Deluxe vent latches operate easily and safely - allowing you to let in a cool breeze securely.



Our low profile submarine tilt-latch offers you a streamlined view combined with a enhanced structural design.



No flimsy plastic pull tabs here. Our standard EZ Lift™ Screen handle is extruded into the actual screen frame making our screens stronger and so easy to manage.



This window features our innovative TRU-Latch system. This locking system is easy to operate and features a sensitive trigger mechanism designed to activate with very little force.



Features:



- Dual Glaze using Unix double strength glass for maximum SHGC and UV protection standard.
- All frame and sash corners are fusion welded at 45 degrees to eliminate air and water penetration.
- Full aluminum reinforced meeting rails for maximum strength.
- 3 1/4" Mainframe for additional strength and durability.

Additional Comfort Options:

- Optional insulated frame for maximum insulating value, 7.14 R-value per inch.
- Optional triple glaze.

Choose Your New Window Performance Level			
Sliding Glass Package	Unix Max	Unix	
U-Factor	0.23	0.29	
Solar Heat Gain Coefficient	0.19	0.21	
The lower the number, the better the insulat	Air Infiltration03 cfm/ft2 ing performance. Additional options cou	uld impact listed performance ratings	



DP45 / 165mph

- Roller tilt constant force balance system for years of smooth and quiet operation.
- True slope sill to naturally drain rainwater away from the window.
- Two integral sash ventilation night latches allow safer enjoyment of a cool evening breeze.
- Bottom sash tilts in for easy cleaning.




- TRU-Latch positive action locks that meet or exceed forced entry resistance requirements and hurricane impact testing.
- Aluminum screen frame for long lasting durability and appearance.
- Our super clear, NatureVue Screen is standard on this window.

Picture Window	Unix Max	Unix
U-Factor	0.23	0.28
Solar Heat Gain Coefficient	0.20	0.22



Our low profile submarine tilt-latch offers you a streamlined view combined with a enhanced structural design.

Single Hung Windows





Reinforcing Superstructure provides exceptional strength and peace of mind.



This window features our innovative TRU-Latch system. This locking system is easy to operate and features a sensitive trigger mechanism designed to activate with very little force.



Features:



- DP30 Performance rating.
- Dual Glaze using Unix double strength glass for maximum SHGC and UV protection standard.
- All frame and sash corners are fusion welded at 45 degrees to eliminate air and water penetration.
- Full aluminum reinforced meeting rails for maximum strength.

Additional Comfort Options:

- Optional insulated frame for maximum insulating value, 7.14 R-value per inch.
- Optional triple glaze.

Choose Your New Window Performance Level			
Sliding Glass Package	Unix Max	Unix	
U-Factor	0.24	0.28	
Solar Heat Gain Coefficient	0.19	0.21	
Air Infiltration11 cfm/ft2			
The lower the number, the better the inst	llating performance. Additional options could	impact listed performance ratings.	




- Gliding system provides an easy and quiet operation.
- Double slide XX style standard and XOX available.
- 2- and 3- lite window options available
- Our EZ Lift™ Screen with an extruded handle is standard.



- TRU-Latch positive action locks that meet or exceed forced entry resistance requirements and hurricane impact testing.
- Extruded aluminum screen frame for long lasting durability and appearance.
- Our super clear, NatureVue Screen is standard on this window.

Looking for a Matching Picture Window? Here is How Ours Measure Up.			
Picture Window	Unix Max		Unix
U-Factor	0.23		0.28
Solar Heat Gain Coefficient	0.20		0.22
The lower the number, the Additional options could	e better the insulating impact listed perform	performance ance ratings	

Sliding Windows






No flimsy plastic pull tabs here. Our standard EZ Lift™ Screen handle is extruded into the actual screen frame making our screens stronger and so easy to manage.



This window features our innovative TRU-Latch system. This locking system is easy to operate and features a sensitive trigger mechanism designed to activate with very little force.

Casement & Awning Windows



Features:









2 Lite Continuous Frame




3 Lite Continuous Frame



· Unique beveled sash design ensures a large viewing area and clean sightline.

Additional Comfort Option:



• Optional triple glaze.



DP50 / 175mph





· Fold down crank handle stays clear of window treatments.

Choose Your New Window Performance Level		
Casement Glass Package	Unix Max	Unix
U-Factor	0.18	0.27
Solar Heat Gain Coefficient	0.16	0.18
ı	Air Infiltration02 cfm/ft2	

The lower the number, the better the insulating performance. Additional options could impact listed performance ratings.

Get More With Traditions





No Hassle, Easy to Read, No Registration Required. Lifetime Warranty.*



We are confident in the performance of our Traditions Window system that we back it with our lifetime warranty.

This warranty will offer you great peace of mind by providing you with performance protection for the life of the home.

And, with Traditions standard Glass Breakage Warranty included, you can enjoy extra protection in case little Johnny throws a wayward pitch.

* See Lifetime Limited Warranty for details.

With Nature Vue Screens, You'll Enjoy Super Clear Views.



Our NatureVue screens are so clear that they almost look invisible. This means that the NatureVue screen itself is

not clearly visible in ones view from a distance. In fact, you'll find that you only notice the screen as you get close to it – a feature designed to ensure that your guests won't walk into the screen but clear enough to give you unobstructed, perfect views all the time.



ntureVue [™] Standard Fiberglass Screen Screen

The NatureVue benefits don't stop there.

Not only is the NatureVue screen system flame retardant, but it allows for more airflow and protects against pests more than traditional fiberglass screens.



NatureVue Screens feature
Watershed Technology
giving you a clearer view for
the life of your screens.

This technology will repel water and resist dirt and grime, making them much less likely to accumulate on the screen unlike typical screens on the market.

With NatureVue Screens You'll also Enjoy these Benefits:

- Excellent visibility from inside improves your view.
- Improved light transmittance.
- Better curb appeal when viewing windows from the street.
- Excellent insect protection due to 30% smaller openings than standard screens.
- Improved airflow as a result of increased openness.
- Watershed Technology gives you a clear view for the life of the product by repelling water and resisting dirt and grime, making them much less likely to accumulate on the screen.

Options

Make a statement of your own personal style. With numerous options, express yourself through our large selection of designer finishes.



You pick it. We make it. **Custom Exterior** Colors available.

Interior Color Options:

Interior Solid:

Sandstone







Interior Woodgrains:

VERSAWOOD WOODGRAINS





Contoured



Simulated (SDL)

External

Opaque Glass Options:

Internal

Flat





Internal



Rain Glass

Obscure Glass

Satin Glass





Blink Blinds -Blinds In Between the Glass Now Available.



Pay It Your Way. From NT